




# DIGITAL SIGNAGE COLLECTION

AUDIO/VISUAL MOUNTING SOLUTIONS FOR DIGITAL SIGNAGE

peerless®

# WALL MOUNTS



**1. QUICK INSTALLATION**  
Screen specific spacers reduce multi-screen installation time

**2. EASY SCREEN MAINTENANCE**  
Flat or tilt adapters enable easy removal and attachment of any screen in the in-line installation

**3. CONVENIENT PERIPHERAL STORAGE**  
Hide peripherals and cables behind the accessory storage boxes for a clean, clutter-free installation, sold separately (pg. 7)


## SP850-UNLP(S)(GB)(GS) Pull-out Swivel Wall Mount



**COLOR:** Black, silver, high gloss black, or high gloss silver

- Integrated cable management for a clean look
- Locking tab provides optional swivel restriction to one side
- Lock Key™ installation tool secures arms for easy screen installation
- Lock-out feature prevents unwanted extension
- Includes hardware for installation to wood stud, concrete or cinder block

## DS135 Menu Board Mount



**COLOR:** Black

- Designed to support two screens in portrait or landscape orientation
- Flat or tilt screen mounting option available
- Cable management accessory included for a clean clutter-free installation
- Optional component storage available, DS578, sold separately (pg. 7)
- More accessories may be needed depending on screen make and model

## DS246 Wall Mount with Storage – Small



**COLOR:** Black

- Houses computer up to 1.87" x 9.44" x 19.81" (47 x 239 x 487 mm) (D x H x W)
- Designed to fit LG M2900S-BN and LG M3800S-BN stretch screens
- Ideal for stretch screens with single stud applications
- Requires PLP screen adapter plate, sold separately (pg. 8)
- Additional solutions available for multiple screen configurations
- Portrait or landscape orientation

## DS508 / DS509 Tilt Wall Mount with Storage - Medium and Thin



**COLOR:** Black

- Houses programmable graphics computers up to DS508: 3.95" x 13.3" x 14.9" (100 x 338 x 378 mm) (D x H x W) DS509: 2.0" x 9" x 14.9" (51 x 229 x 378 mm) (D x H x W)
- Provides ventilation space to keep computer at optimal temperature
- Programmable graphic computers can be removed and serviced without the removal of the screen
- Internal cable management hides cables for a clean, clutter-free appearance
- VESA® 100 x 100, 200 x 100, 100 x 200, 200 x 200 mm and PLP adapter plate compatible


## DS415 Tilt Wall Mount with Storage



**COLOR:** Black

- Houses computer up to 3.58" x 10.82" x 14.05" (91 x 275 x 357 mm) (D x H x W)
- Adjustable tilt up to 10 degrees
- Provides two side access panels for easy maintenance
- Internal cable management hides cables for a clean, clutter-free appearance
- VESA® 100 x 100, 200 x 100, 200 x 200 mm and PLP adapter plate compatible
- Mounts to wood or metal studs on 16" (406 mm) centers

## VW-4050-B Modular Wall Mount



**COLOR:** Black or silver

- Multiple units connect to create video walls in unlimited matrices
- Allows for ventilation to reduce heat build up
- Internal cable management hides cables for a clean, clutter-free appearance
- Screen specific spacers required, sold separately

Computer Storage Accessories ..... page 7  
Accessories ..... page 8

	SP850-UNLP(S)(GB)(GS) Pull-out Swivel Wall Mount	DS135 Menu Board Mount	DS246 Wall Mount with Storage – Small	DS508 / DS509 Tilt Wall Mount with Storage - Medium and Thin	DS415 Tilt Wall Mount with Storage	VW-4050-B Modular Wall Mount
Screen size	32"-58" (81-149 cm)	23"-71" (58-180 cm)	29" or 38" (73-96 cm)	32" - 60" (813 x 1524 mm)	32"-52" (81-132 cm)	40"-50" (101-127 cm)
VESA® pattern	100, 200 x 100 mm	—	400 x 200 mm	100 x 100, 200 x 100, 100 x 200, 200 x 200 mm <i>Additional PLP adapter plates also available</i>	100 x 100, 200 x 100, 100 x 200, 200 x 200 mm <i>Additional PLP adapter plates also available</i>	400 mm <i>Additional PLP adapter plates also available</i>
Adjustable mounting pattern (D x H)	28.7" x 17" (729 x 432 mm)	29.31" H (744 mm) <i>(width varies on screen selection)</i>	—	—	—	—
Distance from the wall	3.4"-11.9" (86-302 mm)	3.3" (84 mm)	3.1" (78 mm)	DS508: 4.75" (121 mm) DS509: 2.75" (70 mm)	4.28" (109 mm) <i>(plus thickness of adapter plate)</i>	3.2" (81 mm)
Tilt   swivel   roll	+10°   ±45°   ±1°	+15°/-5°	+10°	+10°	+10°	—
Horizontal screen adjustment	3.5" (89 mm)	—	—	—	—	<i>Varies by spacer unit used</i>
Landscape to portrait	—	Yes	Yes	Yes	Yes	—
Security	—	Yes	Yes	Yes	Yes	—
Max load	150 lb (68 kg)	<i>Varies by application &amp; number of screens</i>	50 lb (22 Kg)	200 lb (90 Kg)	150 lb (68 Kg)	200 lb (90 Kg)
UL listed	Yes	—	—	—	—	—

# CORNER MOUNTS




**1. MOUNTING FLEXIBILITY**  
Designed to accommodate single or double-stud mounting

**2. EXTENSIBILITY**  
Upgrading to a larger TV is easy, simply extend the arms, mount the larger TV -- no need to re-mount the wall plate

**3. UNIVERSAL DESIGN**  
Accommodates virtually all TVs with 28.75"W x 17.05"H (730 x 433 mm) mounting holes

**4. ACCESSORIZING**  
It is quick and simple to add A/V shelving, supports up to 25 lb (11 Kg) per shelf, sold separately (pg. 8)

# CEILING MOUNTS



Shown with PLCM-2, PLP Adapter Plate and Extension Column, sold separately

**1. CLEAN APPEARANCE**  
Cover plate follows contour of the screen for a clean installation

**2. CABLE MANAGEMENT**  
Built in cable access hole for easy cable routing

## CM50(S) Corner Mounting Accessory



**COLOR:** Black or silver

- Wall units expand to support compatible flat/tilt wall mounts
- Compatible with Peerless™ flat/tilt wall mounts SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-IP
- Wall units accommodate speakers when used with smaller TVs (wall unit maybe visible with some smaller screens)
- Optional shelf available for A/V components, ACC324 (pg. 8)
- Includes hardware for installation to wood stud, concrete and cinder block

## CM60(S) Corner Mounting Accessory



**COLOR:** Black or silver

- Wall units expand to support compatible flat/tilt wall mounts
- Compatible with Peerless™ flat/tilt wall mounts SF640, ST640, SF650, ST650, SF660, ST660, PF640, PT640, PF650, PT650, PF660, PT660 & ONE-IP
- Wall units accommodate speakers when used with smaller TVs (wall unit maybe visible with some smaller screens)
- Optional shelf available for A/V components, ACC324 (pg. 8)
- Includes hardware for installation to wood stud, concrete and cinder block

## CM850(S) Corner Mounting System



**COLOR:** Black or silver

- Includes SmartMount™ Pull-Out Swivel Mount, SP850-UNL (pg. 6)
- Extendable arms support multiple TV sizes without having to adjust wall mount placement
- Wall units accommodate speakers when used with smaller TVs (wall unit maybe visible with some smaller screens)
- Includes hardware for installation to wood stud, concrete and cinder block

Accessories ..... page 8

## CUSTOM MOUNT Retail Ceiling Mount



**COLOR:** Black or silver

- Return-to-Zero™ capability allows the screen to return to original position if accidentally rotated or bumped
- Designed to accommodate a variety of add-on peripherals
- Cover conceals and protects screen and peripherals
- Internal cable management hides cables for a clean, clutter-free appearance

Contact Peerless for specific application needs

## DS247 29" Stretch Screen Compliance Cover



**COLOR:** Black

- Compatible with LG M2900S-BN stretch screen
- For use with PLP-V4X2 (pg. 8) and PLCM-2, sold separately
- Conceals unsightly cable connectors for a clean, finished look

## DS248 38" Stretch Screen Compliance Cover



**COLOR:** Black

- Compatible with LG M3800S-BN stretch screen
- For use with PLP-V4X2 (pg. 8) and PLCM-2, sold separately
- Conceals unsightly cable connectors for a clean, finished look

## PLCM-2 Flat Panel Ceiling Mount



**COLOR:** Black

- Base mount only. Requires appropriate extension column, screen-specific adapter and ceiling plate, sold separately (pg. 8)
- Internal cable management hides cables for a clean, clutter-free appearance

Computer Storage Accessories ..... page 7  
Accessories ..... page 8

Screen size	32"-50" (81-127 cm)	40"-60" (101-152 cm)	32"-58" (81-147 cm)
Adjustable mounting pattern (W x H)	Compatible with SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-IP Refer to Peerless website for compatibility information	Compatible with SF640, ST640, SF650, ST650, SF660, PT660, PF640, PF650, PT650, PF660, PT660 & ONE-IP Refer to Peerless website for compatibility information	28.75" x 17.05" (730 x 433 mm)
Distance from the corner	22.63"-35.36" (574-898 mm)	28.28"-42.43" (718-1077 mm)	22.63"-41.01" (574-1041 mm)
Tilt   swivel   roll	Compatible with SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-IP Refer to Peerless website for compatibility information	Compatible with SF640, ST640, SF650, ST650, SF660, PT660, PF640, PF650, PT650, PF660, PT660 & ONE-IP Refer to Peerless website for compatibility information	+10°   ±45°   ±1°
IncreLock™	Compatible with SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-IP Refer to Peerless website for compatibility information	Compatible with SF640, ST640, SF650, ST650, SF660, PT660, PF640, PF650, PT650, PF660, PT660 & ONE-IP Refer to Peerless website for compatibility information	0°, 5°, 10°
Horizontal screen adjustment	Compatible with SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-IP Refer to Peerless website for compatibility information	Compatible with SF640, ST640, SF650, ST650, SF660, PT660, PF640, PF650, PT650, PF660, PT660 & ONE-IP Refer to Peerless website for compatibility information	3.5" (89 mm)
Max load	175 lb (79 Kg)	200 lb (90 Kg)	150 lb (68 Kg)
UL tested	Yes	Yes	Yes

Screen size	42" (106 cm)	29" (73 cm)	38" (97 cm)	32"-71" (81-180 cm)
VESA® pattern	—	400 X 200 mm With PLP-V4X2 (sold separately) Additional PLP screen adapter plates also available	400 X 200 mm With PLP-V4X2 (sold separately) Additional PLP screen adapter plates also available	Based on desired PLP screen adapter (sold separately)
Adjustable mounting pattern (W x H)	—	—	—	Based on desired PLP screen adapter (sold separately)
Distance from the ceiling	Based on desired extension column length (sold separately)	Based on desired extension column length (sold separately)	Based on desired extension column length (sold separately)	Based on desired extension column length (sold separately)
Tilt   swivel	+7°	+15°   360° With PLCM-2 (sold separately)	+15°   360° With PLCM-2 (sold separately)	+20°   360°
Landscape to portrait	—	Yes With PLCM-2 (sold separately)	Yes With PLCM-2 (sold separately)	Yes
Security	Yes	Yes	Yes	Yes
Max load	150 lb (68 Kg)	50 lb (22 Kg)	50 lb (22 Kg)	225 lb (102 Kg)
UL listed	Yes	—	—	Yes

# CARTS AND STANDS



- 1. NO WALL, NO PROBLEM!**  
Complementing the décor of any environment, this stand is the ideal addition, when mounting to a wall is not an option
- 2. CLEAN APPEARANCE**  
Cables are easily routed from screen to base of the stand for a clean installation
- 3. TAMPER-PROOF BASE**  
Keep devices and content devices safely hidden from sight
- 4. SUBTLE STRENGTH**  
Attractive base supports up to 400 lb (181 Kg)

**DS039**  
Sharp 108" Stand/Cart



**COLOR:** Black

- Quickly converts to stand with Peerless accessory ACC310 (pg. 8), prior to mounting screen
- 360° swivel ball-bearing casters assist with ease of carts mobility
- Steel tubular frame provides strength and durability
- Internal cable management hides cables for a clean, clutter-free appearance
- Also available for XL screen sizes

**FPZ670**  
Flat Panel Stand



**COLOR:** Black

- Base cover is designed to conceal content drivers and surge protectors
- Vertical adjustment on 6' columns for ideal screen viewing height
- Hook-on design allows screen to rest in place to avoid disengage while securing screws for ease of installation
- Internal cable management to easily route cables from screen to base of stand 24"W x 16"D



Accessories ..... page 8

# GONDOLA MOUNT



- 1. VERSATILE COMPATIBILITY**  
Adjustable telescoping arm and side supports adapt to various store fixtures and product placements
- 2. CLEAN APPEARANCE**  
Cable management allows cables to be routed through the arm for a clean installation
- 3. TAMPER-PROOF COVER**  
Assures device and screen safety

**DSI-GM-15PL-BE78**  
Gondola Mount



**COLOR:** Available in any specified color

- Arm adjusts to varying shelf depths
- Holds flat panel screen at eye level while providing space for traditional printed signage
- Enclosure houses routers, graphics drivers, and receivers (not shown)
- Internal cable management hides cables for a clean, clutter-free appearance

Contact Peerless with specific application needs

Accessories ..... page 8

- Screen size
- Max load
- UL listed

Screen size	15" (38 mm) Custom Planar Screen
Max load	25 lb (11 Kg)
UL listed	Yes

Accessories ..... page 8

# COMPUTER STORAGE ACCESSORIES

**DS334**  
Plasma Computer Mounting Bracket



**COLOR:** Black

- Houses computers up to 4.06" x 16.75" x 19" (D x H x W) (103 x 425 x 483 mm)
- For use with ST/SF SmartMount line, sold separately

**DS416**  
Plasma/LCD Computer Mounting Bracket



**COLOR:** Black

- Houses computers up to 2.89" x 6.25" x 6.56" (D x H x W) (73 x 159 x 167 mm)
- For use with ST/SF SmartMount line, sold separately

**DS495**  
Custom Mac Mini Holder



**COLOR:** Black

- Houses Mac mini computer
- For use with PLCM-2, sold separately

**DS578**  
Accessory Storage



**COLOR:** Black

- Houses Enseio HD200 computer
- For use with ST/SF SmartMount line, sold separately (Not for use with SF-640 model)

Screen size	108" (274 cm) Sharp	50"-71" (127-180 cm)
VESA® pattern	—	200 x 200 mm <i>Additional PLP screen adapter plates also available</i>
Vertical screen adjustment	—	6' (1829 mm)
Landscape to portrait	—	Yes
Security	—	Yes
Max load	600 lb (272 Kg)	400 lb (181 Kg) / 200 lb (90 Kg) per screen
UL listed	—	Yes

ACCESSORIES

ACC615



Metal Stud Fastener Kit - 6 Toggles

ACC925



Security Fasteners for SA745PU, SA750PU, SA760PU & SA770PU Wall Arms

EXT models



Fixed Extension Columns

ADJ models




Adjustable Extension Columns

CMJ470 / 480 / 490




Ceiling Plates  
Additional ceiling plates available, visit [www.peerlessmounts.com](http://www.peerlessmounts.com)

PLP-UNL



Screen Adapter Plate  
Additional screen adapter plates available, visit [www.peerlessmounts.com](http://www.peerlessmounts.com)

PLP-V4X2




Screen Adapter Plate

ACC310




Feet Accessory

RMI1



Landscape to Portrait Accessory

ACC324[-S]



Corner Mount Shelf

peerless®