




# HOSPITALITY COLLECTION

AUDIO/VISUAL MOUNTING SOLUTIONS FOR HOSPITALITY



Desktop Security Solutions



Desktop Swivel Mounts



Flat & Tilt Wall Mounts



Pivot & Articulating Mounts

# DESKTOP SWIVEL MOUNTS & SECURITY SOLUTIONS



- 1. OPTIMUM VIEWING ANGLE**  
Offers up to 360° of swivel for flexible TV positioning
- 2. CLEAN APPLICATION**  
Internal cable management for a clean installation
- 3. ADJUSTABLE HEIGHTS**  
Easy vertical adjustment to accommodate various TV sizes
- 4. UNIVERSAL SCREEN ADAPTERS**  
Accommodates a variety of TV models
- 5. SECURITY SCREWS**  
Prevent tampering or theft by securing the TV

## HP432 (-S) / HP442



**COLOR:** Black or silver

- Built-in swivel up to 360° allows for optimum viewing angle
- Base stand bolts down for safety/security
- Adjustable height allows for greater flexibility
- Cable management internally through the mount and down through the mounting surface
- Decorative base is aesthetically pleasing and hides desktop mounting hardware
- Security screws prevent tampering and theft
- HP422 model features a deeper adapter plate to accommodate display back panel bump-outs, protrusions or jack inputs

## HP450 (-S) (-GB)



**COLOR:** Black, silver or gloss black

- Built-in swivel up to 360° allows for optimum viewing angle
- Base stand bolts down for safety and security
- Adjustable height allows for greater flexibility
- Cable management internally through the mount and down through the mounting surface
- Decorative base is aesthetically pleasing and hides desktop mounting hardware
- Security screws prevent tampering and theft

## HP432-B (-S) (-GB)



**COLOR:** Black, silver or gloss black

- Built-in swivel up to 360° allows for optimum viewing angle
- Base stand bolts down for safety and security
- Adjustable height allows for greater flexibility
- Cable management internally through the mount and down through the mounting surface
- Decorative base is aesthetically pleasing and hides desktop mounting hardware
- Security screws and key locks prevent tampering and theft

## HP442-V2X2-B



**COLOR:** Black

- Built-in swivel up to 360° allows for optimum viewing angle
- Base stand bolts down for safety and security
- Adjustable height allows for greater flexibility
- Cable management internally through the mount and down through the mounting surface
- Decorative base is aesthetically pleasing and hides desktop mounting hardware
- Security screws and key locks prevent tampering and theft

## HP432-002 (-S) (-GB)



**COLOR:** Black, silver or gloss black

- Built-in swivel up to 60° (±30°) allows for adjustable viewing angles
- Base stand bolts down for safety and security
- Adjustable height allows for greater flexibility
- Security screws prevent tampering and theft

## HLG452-PH(-Q10) / HLG452-SM(-Q10) / HLG452-003



\* ACC398: 2.25" (5.72 cm) carriage bolts for thicker desktop surfaces

**COLOR:** Black

- Plate quickly attaches to bottom of TV base stand
- Security hardware and VHB tape options for attaching the base to the desktop surface
- Slim, low-profile hides plate from view
- 1" (25 mm) of front-to-back adjustment
- Includes all necessary mounting hardware\*



HLG452-PH(-Q10)



HLG452-SM(-Q10)



HLG452-003

## HLG452-LG(-Q10)



\* ACC398: 2.25" (5.72 cm) carriage bolts for thicker desktop surfaces

**COLOR:** Black

- Adds additional rigidity to the manufacturer's base stand for enhanced security
- Plate quickly and easily attaches to bottom of TV base stand
- Security hardware and VHB tape options for attaching the base stand to the desktop surface
- Ultra-slim, low-profile design hides plate from view
- Up to 2" (51 mm) of front-to-back adjustment
- Includes all necessary mounting hardware\*

## FLD-UNV(-S)



**COLOR:** Black or silver

- Securely mounts TV base stand to most surfaces with tamper-resistant hardware
- Low-profile clips remain hidden when installed

Accessories ..... page 8

TV Sizes	32"-42"	32"-42"	32"-52"	26"-32"	37"-50"	26"-37"	Select Philips Models: 26"-52"	Select Samsung Models: 22"-52"	Select Sharp, Panasonic, Westinghouse Models	Select LG Models: 25"-42"	Variety of Models 22"-42"
VESA® pattern	200 x 100 and 200 x 200 mm	200 x 100 and 200 x 200 mm	universal adapter plate	200 x 100 mm	200 x 200 mm	200 x 200, 200 x 100, 100 x 200 and 100 x 100 mm	—	—	—	—	—
Swivel	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	60° (±30°)	—	—	—	—	—
Security	security screws & nuts	security screws & nuts	keyed barrel locks & security nuts <small>(For additional security, cam locking models are available)</small>	keyed barrel locks & security nuts <small>(For additional security, cam locking models are available)</small>	keyed barrel locks & security nuts <small>(For additional security, cam locking models are available)</small>	security screws	slope nuts or VHB tape		slope nuts or VHB tape		security screws
Max Load Capacity	150 lb (68 kg)	150 lb (68 kg)	80 lb (36 kg)	80 lb (36 kg)	80 lb (36 kg)	80 lb (36 kg)	100 lb (45 kg)		100 lb (45 kg)		100 lb (45 kg)
Cable Management	internal	internal	internal	internal	internal	—	—		—		—
Height Adjustable	Up to 8" (203 mm) with 1" (25 mm) increments	Up to 4" (102 mm) with 1" (25 mm) increments	—	—	Up to 4" (102 mm) with 1" (25 mm) increments	15.7"-21.76" (399-553 mm) from desktop to top mounting hole with 1.5" (38 mm) increments	—		—		—

# UNIVERSAL FLAT & TILT WALL MOUNTS



- 1. CLEAN PROFILE DESIGN**  
Hides cables within enclosed wall plate for a clutter-free installation
- 2. FLAT AND TILT FUNCTIONALITY**  
Can be used in flat or tilt position to conceal cables and mounting mechanism
- 3. HOOK AND HANG DESIGN**  
Simple design allows for an easy installation
- 4. OPEN WALL PLATE**  
Allows for total wall access increasing electrical and cable management options

## SF632(S) / ST632(S)

**SmartMount™**



**COLOR:** Black or silver

- Screen adapter plate simply hooks on to the wall plate for quick and easy installation
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*

\*ACC215

## SF640(S) / ST640(S)

**SmartMount™**



**COLOR:** Black or silver

- Open wall plate design allows for total wall access, increasing electrical and cable management options
- Universal adapters easily hook on to wall plate for fast installation
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*
- Comes with Peerless™ Sorted-For-You™ fastener pack with all necessary TV attachment hardware

\*ACC415

## SF650(S) / ST650(S)

**SmartMount™**



**COLOR:** Black or silver

- Open wall plate design allows for total wall access, increasing electrical and cable management options
- Universal adapters easily hook on to wall plate for fast installation
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*
- Comes with Peerless™ Sorted-For-You™ fastener pack with all necessary TV attachment hardware

\*ACC415

## LT-320



**COLOR:** Black

- Flat and tilt wall mount functionality
- Clean profile design hides cables and hardware within enclosed wall plate for a clutter-free installation
- Mounts to single stud or 16" (406 mm) stud centers
- Includes hardware for installation to wood studs, concrete or cinder block

## HT642-001



**COLOR:** Black

- Flat and tilt wall mount functionality (+5°/-1°)
- Hook and hang design allows for an easy installation
- Clean profile design hides cables and mount within enclosed wall plate for a clutter-free installation
- Open wall plate design allows for total wall access, increasing electrical and cable management options
- Includes hardware for installation to wood and metal studs, concrete or cinder block
- Slightly deeper adapter plate accommodates display back panel bump-outs, protrusions or jack inputs

## PT-420A



**COLOR:** Black

- Flat and tilt wall mount functionality
- Hook and hang design allows for an easy installation
- Clean profile design hides cables and mount within enclosed wall plate for a clutter-free installation
- Open wall plate design allows for total wall access, increasing electrical and cable management options
- Includes hardware for installation to wood studs, concrete or cinder block (metal stud accessory required)\*

\*ACC415

## HT642



**COLOR:** Black

- Flat and tilt wall mount functionality
- Space within mount for housing media control boxes
- Clean profile design hides cables and mount within enclosed wall plate for a clutter-free installation
- Open wall plate design allows for total wall access, increasing electrical and cable management options
- Includes hardware for installation to wood studs, concrete or cinder block (metal stud accessory required)\*

\*ACC415

Accessories ..... page 8

TV Sizes	22"-40"		23"-46"		32"-56"		26"-42"	32"-50"	37"-42"	37"-50"
VESA® pattern	75, 100, 200 x 100 and 200 x 200 mm <i>Additional screen adapter plates also available</i>		Up to 400 x 300 mm		Up to 700 x 400 mm		100 x 100 and 200 x 100 mm	400 x 200, 200 x 200 and 200 x 100 mm	600 x 400, 638 x 163, 638 x 268, 638 x 380 and 650 x 300 mm	400 x 400 mm
Adjustable mounting pattern (W x H)	—		17.73" x 12.94" (450 x 329 mm) <i>SF640 models</i>	18" x 12.94" (457 x 328 mm) <i>ST640 models</i>	29.23" x 17.05" (784 x 433 mm) <i>SF650 models</i>	29.5" x 17.67" (749 x 449 mm) <i>ST650 models</i>	—	—	—	—
Distance from the wall	1.1" (28 mm) <i>SF632 models</i>	1.66" (42 mm) <i>ST632 models</i>	1.2" (30 mm) <i>SF640 models</i>	2.6" (66 mm) <i>ST640 models</i>	1.7" (43 mm) <i>SF650 models</i>	2.6" (66 mm) <i>ST650 models</i>	2.53" (64 mm)	2.15" (55 mm)	2.25" (57 mm)	2.25" (57 mm)
Tilt	— <i>SF632 models</i>	+15°/-5° <i>ST632 models</i>	— <i>SF640 models</i>	+15°/-5° <i>ST640 models</i>	— <i>SF650 models</i>	+15°/-5° <i>ST650 models</i>	+15°/-2°	+5°/-1°	+5°/-1°	+5°/-1°
Horizontal screen adjustment	—		up to 6" (152 mm)		up to 8" (203 mm)		—	—	—	—
Security	Yes		Yes		Yes		Yes	Yes	Yes	Yes
Max load	115 lb (52 kg)		150 lb (68 kg)		175 lb (79 kg)		80 lb (36 kg)	150 lb (68 kg)	100 lb (45 kg)	100 lb (45 kg)
UL/TUV/GS Listed	Yes		Yes		Yes		Yes	—	Yes	Yes

# UNIVERSAL PIVOT & ARTICULATING WALL MOUNTS



## 1. CLEAN APPLICATION

With 1" of clearance per cable management channel this solution delivers clean, clutter-free aesthetics

## 2. EXTENSIVE REACH

Extends all the way out to 30" from the wall and swivels ±90° to easily achieve the perfect viewing position from anywhere in the room

## 3. INSTALLATION CONVENIENCE IN THE WALL PLATE

Wall plate provides up to 10.75" of horizontal adjustment and optimal space for placement of gang boxes with up to four outlets

### SP730P(S) SmartMount™



**COLOR:** Black or silver

- Two tensionable pivot points for virtually limitless adjustment
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*

\*ACC215

### SP740P(S) SmartMount™



**COLOR:** Black or silver

- Two tensionable pivot points for virtually limitless adjustment
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*
- Additional accessory for theft resistance available

\*WSP490(S)

### FPS-1000(GB)



**COLOR:** Black or gloss black

- Ideal for wall mount applications and attachment to false backsplashes
- Easy pull-out swivel provides quick maintenance access
- Clean profile design hides wiring and mount within enclosed wall plate
- When extended, TV can swivel up to 45° left and right depending on TV size
- 2" (51 mm) deep when closed, swivel arms extend to 10.5" (267 mm)
- Includes hardware for installation to wood stud, concrete or cinder block

### SP850-UNLP(S)(GB)(GS) SmartMount™



**COLOR:** Black, silver, high gloss black, or high gloss silver

- Integrated cable management for a clean look
- Locking tab provides optional swivel restriction to one side
- Lock Key™ installation tool secures arms for easy screen installation
- Lock-out feature prevents unwanted extension
- Includes hardware for installation to wood stud, concrete or cinder block

### SA730P(S) SmartMount™



**COLOR:** Black or silver

- Three tensionable pivot points for virtually limitless adjustment
- Internal cable management conceals cables and cords for a clean look
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*

\*ACC215

### SA740P(S) SmartMount™



**COLOR:** Black or silver

- Three pivot points for virtually limitless adjustment that can be tightened to restrict movement
- Internal cable management conceals wires for a clean look
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*
- Additional accessory for theft resistance available

\*WSP425

### SA745P(U)(S) SmartMount™



**COLOR:** High gloss black or high gloss silver

- 1" (25 mm) clearance per channel for clean cable management
- Built-in cable ties control cables and cords with movement of arm
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*

\*WSP745(S)

### SA750P(U)(S) SmartMount™



**COLOR:** High gloss black or high gloss silver

- 1" (25 mm) clearance per channel for clean cable management
- Built-in cable ties control cables and cords with movement of arm
- Two knockouts in wall plate for optimal electrical access
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*

\*ACC615

### SA760P(U)(S) SmartMount™



**COLOR:** High gloss black or high gloss silver

- 1" (25 mm) clearance per channel for clean cable management
- Dual-arm construction for strength and enhanced ease of motion
- Built-in cable ties control cables and cords with movement of arm
- Two knockouts in wall plate for optimal electrical access
- Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)\*

\*ACC615

Accessories ..... page B

TV Sizes	10"-24"	22"-40"	32"-58"	32"-58"	10"-24"	22"-40"	32"-47"	32"-58"	37"-63"
VESA® pattern	75/100 mm <i>Additional screen adapter plates also available</i>	75, 100, 200 x 100 and 200 x 200 mm <i>Additional screen adapter plates also available</i>	100 x 100 and 200 x 100 mm	100, 200 x 100 mm	75/100 mm <i>Additional screen adapter plates also available</i>	75, 100, 200 x 100 and 200 x 200 mm <i>Additional screen adapter plates also available</i>	100, 200 x 100 and 200 x 200 mm <i>(SA745P models)</i>	100, 200 x 100 and 200 x 200 mm <i>(SA760P models)</i>	100, 200 x 100 and 200 x 200 mm <i>(SA760P models)</i>
Adjustable mounting pattern (W x H)	—	—	—	28.7" x 17" (729 x 432 mm)	—	—	30.13" x 17.24" (765 x 438 mm) <i>(SA745PU models)</i>	30.13" x 17.24" (765 x 438 mm) <i>(SA750PU models)</i>	30.13" x 17.24" (765 x 438 mm) <i>(SA760PU models)</i>
Distance from the wall	1.88"-9.31" (47-237 mm)	2.99"-11.8" (76-300 mm)	2.18"-10.52" (55-267 mm)	3.4"-11.9" (86-302 mm)	2.19"-16.06" (55-408 mm)	3.3"-20.18" (83-513 mm)	6.8"-29.8" (173-757 mm) <i>SA745PU models</i> 4.8"-27.8" (122-706 mm) <i>SA745P models</i>	6.8"-29.8" (173-757 mm) <i>SA750PU models</i> 4.8"-27.8" (122-706 mm) <i>SA750P models</i>	6.8"-29.8" (173-757 mm) <i>SA760PU models</i> 4.8"-27.8" (122-706 mm) <i>SA760P models</i>
Tilt   swivel   roll	+15/-5°   ±90°   ±5°	+15/-5°   ±90°   ±5°	—	+10°   ±45°   ±1°	±35°   ±90°   ±5°	+15/-5°   ±90°   ±5°	+15/-5°   ±90°   ±2.5°	+15/-5°   ±90°   ±2.5°	+15/-5°   ±45°   ±2.5°
Horizontal screen adjustment	—	—	—	3.5" (89 mm)	—	—	—	10.75" (273 mm)	7.75" (197 mm)
Landscape to portrait	—	—	—	—	—	—	Yes	Yes	Yes
Security	ACC918	ACC919	Yes	Yes	ACC918	ACC919	ACC925	ACC925	ACC925
Max load	25 lb (11 kg)	80 lb (36 kg)	150 lb (68 kg)	150 lb (68 kg)	25 lb (11 kg)	80 lb (36 kg)	90 lb (40 kg) <i>110 lb (49 kg) with metal stud accessory</i>	150 lb (68 kg) <i>110 lb (49 kg) with metal stud accessory</i>	200 lb (90 kg) <i>125 lb (56 kg) with metal stud accessory</i>
UL/TUV/GS Listed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

ACCESSORIES

ACC215



Metal Stud Fastener Kit - 2 togglers

ACC415



Metal Stud Fastener Kit - 4 togglers

ACC615



Metal Stud Fastener Kit - 6 togglers

ACC939



2.25" Carriage Bolts for thicker desktop surfaces (pg. 3)

WSP490[S]



Metal Stud Wall Plate for SP740 (pg. 6)

WSP425




Metal Stud Wall Plate for SA740 (pg. 7)

WSP745[S]



Metal Stud Wall Plate for SA745 (pg. 7)

WSP816 / 820 / 824[-W]



Metal Stud Wall Plate for FPS-1000 (pg. 5) and SP850-UNLP (pg. 6) (for 16-, 20- and 24-inch centers)

ACC919



Security Fasteners for SP740P and SA740P Wall Arms (pg. 6 and 7)

ACC925



Security Fasteners for SA745PU, SA750PU and SA760PU Wall Arms (pg. 7)

VESA® Adapter Plates

A complete line of VESA® mounting adapter plates are available; visit our website at [www.peerlessmounts.com](http://www.peerlessmounts.com) for more information.

**PLP-V100:**  
100 x 100 mm

**PLP-V2X1:**  
200 x 100 mm

**PLP-V2X2:**  
200 x 200 mm

**PLP-V3X3:**  
300 x 300 mm

**PLP-V4X2:**  
400 x 200 mm

**PLP-V4X4:**  
400 x 400 mm

**PLP-V6X2:**  
600 x 200 mm

**PLP-V6X4:**  
600 x 400 mm

**PLP-V8X4:**  
800 x 400 mm

